



IP/AU03/01411

REC'D 17 NOV 2003

WIPO PCT

Patent Office
Canberra

I, JANENE PEISKER, TEAM LEADER EXAMINATION SUPPORT AND SALES hereby certify that annexed is a true copy of the Provisional specification in connection with Application No. 2002952305 for a patent by MAURICE JOHN EDWARD WHITE as filed on 29 October 2002.

I further certify that the above application is now proceeding in the name of YNDK PTY LTD pursuant to the provisions of Section 113 of the Patents Act 1990.



WITNESS my hand this
Tenth day of November 2003

A handwritten signature in dark ink, appearing to read "J. Peisker".

JANENE PEISKER
TEAM LEADER EXAMINATION
SUPPORT AND SALES

**PRIORITY
DOCUMENT**
SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH RULE 17.1(a) OR (b)

BEST AVAILABLE COPY

AUSTRALIA
Patents Act 1990

PROVISIONAL SPECIFICATION

200295

filed 29th October 2002

Invention Title : Dental Care Product

Applicant: Maurice John Edward WHITE

Inventor: Maurice John Edward WHITE

The invention is described in the following statement:

DENTAL CARE PRODUCT

This product relates to a method and a product for inhibiting dental caries developing.

Background to the invention

5 It is known that chewing produces saliva which is a natural means of removing caries-causing products from the teeth.

USA patents 5114704 and 6178922 disclose chewable products for dog dental care.

10 USA patent 5133971 proposes using a chewable membrane of reconstituted cellulose.

USA patent 4554154 discloses the use of a chewable tape carrying an adhesive.

USA patent 4891209 discloses a latex rubber masticating block [chewing gum size] which is intended to inhibit caries.

15 USA patent 5939049 discloses a chewing stick of jute or other natural fibres. It is claimed to be an improvement in the natural chewing sticks used by people in many developing countries.

USA patent 6123982 discloses an expandable dental floss and USA patent 6039054 to a dental floss having a foamed layer around the core.

Patent specification WO 00/32135 discloses a chewable foam strip of PE or EVA.

20 The foam cells are closed and smaller than 1mm in diameter.

A large proportion of caries infections occur in deep cracks and fissures which naturally occur in healthy teeth. There are three areas that are subject to tooth decay, gum margins and between teeth as well as inside pits and fissures.

25 However brushing and flossing, mouth wash, toothpaste and chewing gum can only access and benefit the first 2 areas. They cannot access inside pits and fissures where 80% of cavities occur.

The prior attempts as disclosed in the patents mentioned above do not effectively remove caries forming products from these deep cracks and fissures nor do they prevent those materials from entering the cracks and fissures. The only effective
30 treatment of deep cracks and fissures is to fill or seal them with a permanent barrier material which operation is performed by a dentist at a dental surgery.

It is an object of this invention to provide a product which prevents cariogenic food products breaking down into caries producing acid inside these cracks and fissures as well as between teeth and at gum margins.

5 Brief description of the invention

To this end the present invention provides a dental care strip of a cellular foam in which the surface cells are open cup shaped cells. The dental care strip can be used as dental floss or as a masticating strip to aid in cleaning teeth or delivering barrier materials to the cracks and fissures where caries most commonly commences.

10 This invention is predicated on the discovery that the deep cracks and fissures of teeth are not easily penetrated by saliva which is being worked around by chewing gum or closed foam cells. The velocity of the saliva is higher when the foam cells are broken but it takes some time chewing before a sufficient number of cells are broken. This process is expedited by slitting the foam to provide outer cup shaped cells on each foam strip. Preferably the foam cells are large and at least 1 mm in size. Preferably the foam sheet is slit diagonally across the thickness because this not only provides the best shaped open cell to remove plaque and deliver saliva, but also provides a tapered edge that passes between the teeth more effectively.

20 With this invention even 5 mm thick foam strips can be compressed to pass between the teeth.

In assessing the efficacy of various materials to provide sufficient force to the saliva to force it quickly into the deep cracks and fissures a glass model of a fissured tooth has been studied using food dye to indicate penetration. This methodology has reduced the time needed to ascertaining if a procedure will benefit teeth from years (based on clinical trials) to a matter of hours.

25 Because the cells are cup shaped after being slit they quickly fill with a saliva mix which is forced out as the cup shaped cell is squeezed while chewing. This has been proved by the glass model of a fissure. Foam masticating strips as disclosed in specification WO 00/32135 do not allow sufficient penetration of the deep cracks and fissures within two or three minutes of chewing. Even pin hole fracturing of the cells does not produce sufficient pumping action.

30

The masticating strips of this invention are sized to give a chewing volume of 1 to 4 cm^3 preferably about 2 cm^3 . The strips are preferably 50x20x2 mm in dimension with 1mm foam cells.

Any food grade plastic foam may be used including thermoplastics such as polyethylene (PE), polyvinyl acetate (PVA) or polyisobutylene (PIB) to improve cell size and provide thinner cell walls and provide a chewy feel.

The foam strips of this invention may also be combined with barrier materials that are able to penetrate the deep cracks and fissures with the aid of the masticating strips of this invention. These barrier materials are inert and prevent carbohydrate foods from entering the cracks and fissures and prevent the formation of the acids which cause caries. Suitable barrier materials include cocoa, cheese and fine particles such as calcium carbonate combined with a carrier like gelatin. It is preferred to use a foam strip that provides a short acting bolus to deliver the barrier materials but not remove them.

To clean the teeth or to remove barrier materials the foam strips of this invention are formed into a long acting bolus.

Detailed description of the invention

To assist with understanding this invention, reference will now be made to the drawings in which:

Fig. 1. Represents a strip of foam 1mm X 20mm X 100mm that will create a long acting chewy bolus volume of about 2 cm^3 .

Fig. 2. Represents two slides of glass clipped together with a Teflon gasket so it can be easily cleaned or glued together with white silicone in a H with a pocket open at each end that simulate a fissure in a tooth.

Fig. 3, 4, 5, 6 and 7. Represents a fissure at one end of the glass model in Fig. 2.

Fig. 3. Shows chewing suitable fibre can force food into the fissure space.

Fig. 4. Shows that brushing, swishing and chewing gum, make little difference.

Fig. 5. Shows that chewing a suitable foam can remove all the food.

Fig. 6. Shows that chewing suitable foam can force a suitable barrier food like cheese to seal the fissure.

Fig. 7. Shows that chewing normal food has difficulty removing the barrier.

Fig. 5. Shows that suitable fibre can remove the barrier with a little difficulty.

Fig. 8a and 8b. Show two foam strips sealing a barrier food with two side tags that can be torn off and used after eating to remove food and neutralise acid.

Fig. 9a and 9b. Show the foam sealing around a barrier food with two bottom tags that can be torn off and used after eating to remove food etc.

5 Fig. 10. Shows two strips of foam used to pack and seal a confection or snack or even a days supply of the chewy fibre device.

Fig. 11. Shows two strips of foam used to pack and seal a large confection or multiple units of the chewy device.




Fig. 1.




Fig. 2.



Fig. 3.



Fig. 4.



Fig. 5.



Fig. 6.



Fig. 7.




Fig. 8a.




Fig. 8b.




Fig. 9a.




Fig. 9b.




Fig. 10.




Fig. 11.

10 The glass model of a fissure is two strips of glass about 5mm thick and 20mm wide and about 60mm long, stuck together with white silicone in an H fashion or clipped together with a thin Teflon gasket. This leaves a very thin pocket or envelope open at each end as in fig. 2, replicating the actions observed inside pits and fissures.

One end is forced into food or other material and saliva or water usually with a dye to clearly show if the food or other material/saliva or water mix is forced inside the fissure by the mix texture or consistency. Suitable fibre added to the mix greatly improves penetration inside pits and fissures and identifies if a stable short or long

5
acting bolus is suitable to fill the pocket as in fig. 3. Not every fibre or long acting bolus will force saliva etc inside the fissure. Chewing gum is a long acting bolus, which does not absorb and expel the fluids or mixtures and cannot remove material or dye from the model as in Fig. 4. The foams of this invention provide complete
5 penetration in a short time.

The masticating dental foam of this invention may be made as follows:

Polyethylene pellets are melted in an extruder with a fine nucleating powder such as flower of fluoride. 2% polyisobutylene and a foaming agent such as butane
10 propane, natural gas or carbon dioxide are pumped into the melt under controlled pressure to foam the mass as it exits the extruder die. This forms large numbers of interlinked fine wall cells. The pressure should be close to the cell bursting pressure to facilitate creating a soft chewy foam. Preferably the foam exits the die as a tubular sheet about 12 mm thick and is then slit into strips 3mm wide. Slitting
15 on an angle through the thickness not only provides cup cells on the cut surface but improves ease of passing between teeth. The foamed sheet may be surface treated with a wire roller or slitting blades to open the foam cells with slits. The treated sheet may then be slit into strips of suitable widths such as 5 mm 10mm or 20mm and finally cut into useful lengths of 100mm or 50mm.

20 A short acting bolus can be created with 5 mm cube foam blocks formed into tubes with a suitable barrier material. The addition of small amounts of polyisobutylene to the foam improves the foam by forming bigger cells and the foam is more chewy and is slightly tacky. Gelatin and PIB are used to prevent dehydration of the barrier material on the foam strips. The PE foam strips of this
25 invention act as a bulking carrier that can run through a gelatin dip at much higher speeds than as individual units and the coated strands pass up and down a drying, cooling setting tower before being cut and packed.

When slit, the cells provide a cup like surface that can hold saliva or an additive that is easy to force into pits and fissures immediately which is not possible with
30 the smooth surface of a closed cell foam or even with punctured cells which close over under pressure. The exposed slit cell edges of this invention are also more efficient at plaque and food removal, cutting into and holding the plaque or food rather than sliding over it more than grabbing it. Even square 5mm thick foam can

be compressed so as to pass between the teeth while applying a slight orthodontic pressure that as well as clean teeth could aid jaw growth and help prevent crowded teeth.

- 5 Suitable dental agents such as one mg of fluoride may be incorporated inside the cells of each unit of dental foam to give 5ppm Fluoride ion in the saliva for about 10 minutes after eating and perhaps before bed. This is about 5 kilos of powdered NaF per ton of PE added at the hopper of the extruder as a nucleating agent giving about 30 billion cells in 15,000,000 units of dental foam. It is unlikely that the
- 10 recommended dose of 1mg of fluoride per day would be exceeded.

It is desirable not to eat anything for about two hours after chewing the long acting fibre bolus to ensure complete remineralisation so the ideal time for mineralisation with fluoride is before going to bed.

- Fig. 11. Shows two strips of foam used to pack and seal a large confection or
- 15 multiple units of the chewy device. As many as 50 units can be packed in this way to fit an average business envelope and day packs can be cut from this small bulk pack to serve as both barrier snacks before eating and cleaning device or gum after eating. The end sections of the pack can be used as reusable envelopes to carry a day supply of barrier snacks and cleaning devices even with a preferred
- 20 toothpaste added.

- From the above it can be seen that this invention provides an effective dental hygiene material that is convenient to use at any time particularly prior to and after eating. Those skilled in the art will realize that the invention can be applied to a
- 25 variety of applications and the size and volume of the masticating strips can be varied as desired. The dental adjuvants that are incorporated into the cells or applied to the surface of the strips may be chosen from among the wide range of materials currently available. Similarly other methods of manufacturing the slit cell foam strips may be employed.

CLAIMS

1. A dental care strip of a cellular foam in which the surface cells are open cup shaped cells.
2. A dental care strip as claimed in claim 1 in which the foam cells are at least 1mm in diameter.
3. A dental care strip as claimed in claim 1 sized to give a chewing volume of 1 to 4 cm³ preferably about 2 cm³.
4. A dental care strip as claimed in claim 1 or 2 in which the strip is formed from a foam sheet by slitting diagonally across the thickness of the foam sheet.
5. A dental care strip as claimed in any one of the preceding claims which is made from a foam of a thermoplastic material selected from one or more of polyethylene (PE), polyvinyl acetate (PVA) or polyisobutylene.
6. A dental care strip according to any one of the preceding claims which also incorporates a dental adjuvant or a barrier material.
7. A dental care strip and barrier material as claimed in claim 5 that provides a short acting bolus to deliver the barrier material to deep cracks and fissures in the teeth.
8. A dental care strip as claimed in any one of claims 1 to 4 which forms a long acting bolus to remove materials in the deep cracks and fissures of the teeth.

ABSTRACT

A masticating strip useful in dental hygiene consisting of a cellular foam in which the surface cells incorporate longitudinal slits. The strips are sized to give a chewing volume of 1 to 4 cm³ preferably about 2 cm³. The strips are made from a foam of a thermoplastic material selected from one or more of polyethylene (PE), polyvinyl acetate (PVA) or polyisobutylene. The strips may incorporate a dental adjuvant or a barrier material.



Fig. 1.




Fig. 2.



Fig. 3.



Fig. 4.



Fig. 5.




Fig. 6.



Fig. 7.



Fig. 8a.




Fig. 8b.



Fig. 8c.

Fig. 8d.

Fig. 8e.

Fig. 8f.

Fig. 8g.

Fig. 8h.

Fig. 8i.

Fig. 8j.

Fig. 8k.

Fig. 8l.

Fig. 8m.

Fig. 8n.

Fig. 8o.

Fig. 8p.

Fig. 8q.

Fig. 8r.

Fig. 8s.

Fig. 8t.

Fig. 8u.

Fig. 8v.

Fig. 8w.

Fig. 8x.

Fig. 8y.

Fig. 8z.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☒ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.